

To: Brett.Fishwild@CH2M.com[Brett.Fishwild@CH2M.com]; Patterson, Leslie[patterson.leslie@epa.gov]
Cc: Project Email Filing[filing@croworld.com]
From: Chan, Valerie
Sent: Wed 6/19/2013 12:44:42 PM
Subject: RE: South Dayton Dump - OU2 CSM and table of screening levels ~COR-038443-14~38443-14 Screening Level Tables_061713.xlsx

Hello Brett,

Please find attached the draft Screening Level Tables.

I'll have a better idea tomorrow when the CSM will be available.

Thank you,

Valerie

From: Brett.Fishwild@CH2M.com [mailto:Brett.Fishwild@CH2M.com]
Sent: Tuesday, June 18, 2013 11:00 AM
To: Chan, Valerie; patterson.leslie@epa.gov
Subject: South Dayton Dump - OU2 CSM and table of screening levels

Hello Valerie –

We were informed by EPA that CRA would attempt to provide an updated conceptual site model (CSM) and table of screening levels for the OU2 scoping review. The indication was that the CSM would be submitted last week and the table of screening levels this week. We are just asking for a status on that material, so we can in turn schedule our reviews of the OU2 DQO's.

Please let us know when you believe this material can be sent out for review.

Thank you.

Brett A. Fishwild

Associate Project Manager

Geologist

CH2M HILL

1 South Main Street

Suite 1100

Dayton, OH 45402

Direct 937.220.2955

eFax 937.234.6157

Mobile 515.991.2404

www.ch2mhill.com